IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor(s): Bardy

Patent No.: 6,905,463 B2

Issued: June 14, 2005

Title: System And Method For Provided

Feedback To An Individual Patient For Automated Remote Patient Care

Attorney Docket No.: 020.0346.US.CON

Commissioner for Patents Alexandria, VA 22313-1450 Group Art Unit: 3762

Examiner: Jastrzab, Jeffrey R.

# **CERTIFICATE OF CORRECTION TRANSMITTAL LETTER**

Sir:

Enclosed herewith please find a Certificate of Correction, submitted to correct errors in the published patent. Typographical errors appear in Column 19, lines 30, 36; Column 20, lines 16, 20, 37, 54, 62; Column 21, line 43; and Column 22, lines 5, 7, 9, 36.

No fee is enclosed, as the typographical errors were made by the U.S. Patent and Trademark Office.

Acceptance and publication of the Certificate of Correction are respectfully requested. Please contact the undersigned at (206) 381-3900 regarding any questions or concerns associated with the present matter

Respectfully Submitted,

Patrick J.S. Inouye, Esq.

Attorney/Agent for Applicant(s)

Reg. No. 40297

Date: August 19, 2005

Telephone No.: (206) 381-3900

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO.

: 6,905,463 B2\_

DATED

: June 14, 2005

INVENTOR(S)

: Bardy, Gust H.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

### Column 19,

Line 30, "at least one of other physiological measures mad" should read -- at least one of other physiological measures and --:

Line 36, "care record to a lest one of either collected or derived" should read -- care record to at least one of either collected or derived --.

#### Column 20.

Line 16, "mid quality of life measures stored in patient care" should read -- and quality of life measures stored in patient

Line 20, "providing progressive feedback, comprising at east one of" should read -- providing progressive feedback, comprising at least one of --:

Line 37, "code for collecting device measures through a implantable" should read -- code for collecting device measures through an implantable --;

Line 54, "code for analysing the physiological measures and the" should read -- code for analyzing the physiological measures and the --;

Line 62, "code for comparing the physiological measure and quality" should read -- code for comparing the physiological measures and quality --.

Line 43, "A method for providing feedback to an feedback to an" should read -- A method for providing feedback to an --.

#### Column 22

Line 5, "tially contenporaneous to the collection of the device" should read -- tially contemporaneous to the collection of the

Line 7, "processing the voice feedback against stored speech" should read -- processing the voice feedback against a stored

Line 9, "periodically storing the device measures as at last one of" should read -- periodically storing the device measures as at least one of --;

Line 36, "substantialy contemporaneous to the collection of" should read -- substantially contemporaneous to the collection of --.

MAILING ADDRESS OF SENDER: Law Offices of Patrick J.S. Inouye 810 Third Ave., Ste 258 Seattle, WA 98104

PATENT NO: 6,905,463

No. of additional copies



This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application for to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450. If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

10/646679

PTO/SB/21 (09-04)

Approved for use through 07/31/2006. OMB 0651-0081
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. Patent Number 6,905,463 62 **TRANSMITTAL** Issue Date June 14, 2005

**FORM** First Named Inventor Bardy, Gust H. Art Unit 3762 (to be used for all correspondence after initial filing) **Examiner Name** Jastrzab, Jeffrey R. Total Number of Pages in This Submission Attorney Docket Number 020.0346.US.CON

ENCLOSURES (Check all that apply)					
ENCLOSURES (Check all that apply)					
Fee Trans	smittal Form	Drawing(s)	After Allowance communication	on to (TC)	
Fee	e Attached	Licensing-related Papers	Appeal Communication to Boa Appeals and Interferences	rd of	
Amendment / Reply		Petition	Appeal Communication to TC (Appeal Notice, Brief, Reply Brief)		
Afte	er Final	Petition to Convert to a Provisional Application	Proprietary Information	•	
Affi	davits/declaration(s)	Power of Attorney, Revocation Change of Correspondence Address	Status Letter		
Extension of Time Request		Terminal Disclaimer	Other Enclosure(s) (please in below):	dentify	
Express Abandonment Request		Request for Refund	ostcard		
Information Disclosure Statement		CD, Number of CD(s)	Certificate of Correction	tificate of Correction	
Certified Copy of Priority Document(s)		Landscape Table on CD	Certificate of Correction Transmittal etter		
Reply to Missing Parts/ Incomplete Application		Remarks	Certificate	9	
Reply to Missing Parts under 37 CFR 1.52 or 1.53		AUG 2 4 2005			
SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT OF COTTECTION					
Firm Name	Law Offices of Pagiek J				
Signature		1.9x	·		
Printed name Patrick J.S. Inouye		V			
Date	August 19, 2005	Re	g. No. 40297		
CERTIFICATE OF TRANSMISSION/MAIL INC					

CERTIFICATE OF TRANSMISSION/MAILING I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below. Signature Typed or printed name Natalia Li-Chapman Date August 19, 2005

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.